

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
21	20	((protocol same stack same load\$4 same compatib\$5) and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
22	5	((database with protocol with stack) and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
23	20	((protocol with stack\$3) same (load\$5 or unload\$4) same (compatib\$5 or adaptable or congenial or congruent or consistent or consonant or cooperative or suitable)) and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
24	1	((protocol with (load\$3 or unload\$3)) same ((compatib\$5 with protocol)).ab. and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
25	33	((protocol adj stack) same compatib\$5 same (process or terminat\$5 or stop\$5 or service)) and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
26	27	((protocol adj stack) same compatib\$5 same (process or terminat\$5 or stop\$5 or service)) and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:34
27	0	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5 same compatib\$6).ab. and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:34
28	0	((problem\$5 or conflict\$7) with (load\$5 near3 protocol)) same protocol same load\$5).ab. and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:34
29	4	(incompatib\$5 with protocol with stack) and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:34

30	2	((tcp/ip or tcp or ip or osi or sna) same (stop\$5 or load\$5) same (service or process) same protocol).ab. and @ad<20010314 and (709/220.ccls. or 709/222.ccls. or 709/250.ccls. or 709/230.ccls. or 709/217.ccls. or 709/249.ccls. or 370/389.ccls. or 370/465.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:34
-	0	(protocol same stack same load\$4 same memory same compatib\$5).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:24
-	4	protocol same stack same load\$4 same memory same compatib\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:04
-	2	(protocol same stack same load\$4 same memory same compatib\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:22
-	1	(protocol and stack and load\$4 and memory and compatib\$5).clm. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:13
-	48	(protocol same stack same load\$4 same compatib\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
-	0	(protocol same stack same load\$4 same compatib\$5 same (unload\$4 or delet\$5 or eliminat\$5 or withdraw\$5 or abandon\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:49
-	3	(protocol same stack same load\$4 same compatib\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:56
-	0	(protocol same stack same load\$4 same (adaptable or congenial or congruent or consistent or consonant or cooperative or suitable)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:40
-	2	(protocol same stack same load\$4 same (adaptable or congenial or congruent or consistent or consonant or cooperative or suitable)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:55
-	11	(protocol same stack same load\$4 same compatib\$5 same (message or request\$4)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:56
-	16	((protocol with stack with compatib\$5) same load\$4 same compatib\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:04
-	49	((protocol with stack\$3) same (load\$5 or unload\$4) same (compatib\$5 or adaptable or congenial or congruent or consistent or consonant or cooperative or suitable)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33

-	2	((protocol with stack\$3) same (load\$5 or unload\$4) same (compatib\$5 or adaptable or congenial or congruent or consistent or consonant or cooperative or suitable) same (memory or storage)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:26
-	49	((protocol with stack\$3) same (load\$5 or unload\$4) same (compatib\$5 or adaptable or congenial or congruent or consistent or consonant or cooperative or suitable)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:51
-	0	(protocol same unload\$4 same load\$4 same compatib\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:56
-	5	(protocol same memory same load\$4 same compatib\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:57
-	3	((protocol with compatib\$5) same memory same load\$4 same compatib\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:58
-	3	((protocol near6 compatib\$5) same memory same load\$4 same compatib\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:58
-	0	((network with protocol with (load\$3 or unload\$3)) same first same second same (compatib\$5)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:41
-	0	((network with protocol with (load\$3 or unload\$3)) same first same second same (compatib\$5)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:41
-	5	((network with protocol with (load\$3 or unload\$3)) same first same second same (compatib\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:42
-	5	((network with protocol with (load\$3 or unload\$3)) same first same second same (compatib\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:45
-	14	((protocol near5 (load\$3 or unload\$3)) same network same ((compatib\$5 with protocol))) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:08
-	62	((protocol with (load\$3 or unload\$3)) same ((compatib\$5 with protocol))) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:08
-	7	((protocol with (load\$3 or unload\$3)) same ((compatib\$5 with protocol))).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
-	0	((protocol near3 (load\$3 or unload\$3)) same ((compatib\$5 with protocol))).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:15

-	0	((protocol near5 (load\$3 or unload\$3)) same ((compatib\$5 with protocol)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:15
-	4	((protocol near7 (load\$3 or unload\$3)) same ((compatib\$5 with protocol)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:29
-	1	((protocol with stack\$4 with accomodat\$5)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:27
-	8	((protocol with stack\$4 with compatib\$6)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:00
-	147	((protocol adj stack) same compatib\$5 same (process or terminat\$5 or stop\$5 or service))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
-	6	((protocol adj stack) same compatib\$5 same (process or terminat\$5 or stop\$5 or service)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:02
-	95	((protocol adj stack) same compatib\$5 same (process or terminat\$5 or stop\$5 or service)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
-	21	((protocol adj stack) same compatib\$5 same (terminat\$5 or stop\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:41
-	5	((protocol adj stack) same compatib\$5 same (process or service)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:33
-	0	((tcp/ip or osi or sna) same (stop\$5 or load\$5) same compatib\$6 same (service or process) same protocol).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:33
-	8	((tcp/ip or osi or sna) same (stop\$5 or load\$5) same (service or process) same protocol).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:38
-	37	((tcp/ip or tcp or ip or osi or sna) same (stop\$5 or load\$5) same (service or process) same protocol).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:34
-	0	((tcp/ip or tcp or ip or osi or sna) same (stop\$5 or load\$5) same (service or process) same protocol same compatib\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:38
-	33	((tcp/ip or tcp or ip or osi or sna) same (stop\$5 or load\$5) same (service or process) same protocol same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:50

-	2	((problem or conflict or error) with (load\$5 with protocol with stack)) same protocol same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:52
-	2	((problem\$5 or conflict\$7 or error) with (load\$5 with protocol with stack)) same protocol same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:52
-	85	((problem\$5 or conflict\$7 or error) with (load\$5 with protocol)) same protocol same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:52
-	2	((problem\$5 or conflict\$7 or error) with (load\$5 with protocol)) same protocol same load\$5 same stack).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:52
-	2	((problem\$5 or conflict\$7 or error) with (load\$5 with protocol)) same protocol same load\$5 same compatib\$6).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:54
-	70	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 16:55
-	1	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5 same compatib\$6).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
-	0	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5 same compatib\$6).ab. and @ad<20010314 and stack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:14
-	3	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5).ab. and @ad<20010314 and stack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:18
-	5	((problem\$5 or conflict\$7) near5 (load\$5 with protocol)) same protocol same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:14
-	24	((problem\$5 or conflict\$7) with (load\$5 near3 protocol)) same protocol same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:33
-	0	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5 same compatib\$6) and @ad<20010314 and stack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:14
-	2	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5 same compatib\$6) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:14
-	13	((problem\$5 or conflict\$7) near5 (load\$5 with protocol)) same protocol same load\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:14

-	17	((problem\$5 or conflict\$7) with (load\$5 with protocol)) same protocol same load\$5) and @ad<20010314 and stack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:18
-	0	(protocol same suite same load\$4 same memory same compatib\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:22
-	1	(protocol same suite same load\$4 same compatib\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:22
-	0	(protocol same (conflict\$5 or incompatib\$5) same ((stop\$5 or terminat\$5) with (process or service)) same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:30
-	0	(protocol same (conflict\$5 or incompatib\$5) same ((stop\$5 or terminat\$5 or abort\$5) with (process or service)) same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:30
-	0	(protocol same (conflict\$5 or incompatib\$5) same ((stop\$5 or terminat\$5 or abort\$5) with (process or service or application or routine)) same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:30
-	0	(protocol same (conflict\$5 or incompatib\$5) same ((stop\$5 or terminat\$5 or abort\$5) with (process or service or application or routine or task)) same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:30
-	0	(protocol same (conflict\$5 or incompatib\$5 or compatib\$5) same ((stop\$5 or terminat\$5 or abort\$5) with (process or service or application or routine or task)) same load\$5).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:30
-	1	(protocol same (conflict\$5 or incompatib\$5 or compatib\$5) same ((stop\$5 or terminat\$5 or abort\$5 or abandon\$5) with (process or service or application or routine or task)) same load\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:31
-	1	(protocol same (conflict\$5 or incompatib\$5 or compatib\$5) same ((stop\$5 or terminat\$5 or abort\$5 or abandon\$5 or kill\$4) with (process or service or application or routine or task)) same load\$5) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:32
-	15	(protocol same (conflict\$5 or incompatib\$5 or compatib\$5) same ((stop\$5 or terminat\$5 or abort\$5 or abandon\$5 or kill\$4) with (process or service or application or routine or task)) same stack) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:32
-	15	(protocol same (conflict\$5 or incompatib\$5 or compatib\$5) same ((stop\$5 or terminat\$5 or abort\$5 or abandon\$5 or kill\$4) with (process or service or application or routine or task)) same (stack or suite)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:39
-	85	(protocol same (conflict\$5 or incompatib\$5 or compatib\$5) same ((stop\$5 or terminat\$5 or abort\$5 or abandon\$5 or kill\$4) with (process or service or application or routine or task))) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:39

-	3	(protocol same (conflict\$5 or incompatib\$5 or compatib\$5) same ((stop\$5 or terminat\$5 or abort\$5 or abandon\$5 or kill\$4) with (process or service or application or routine or task))).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:42
-	0	((manag\$5 with protocol with stack) same (mobile adj device)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:43
-	0	((control\$5 with protocol with stack) same (mobile adj device)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:44
-	0	((manag\$5 with protocol with stack) same (pda or cellphone or mobile)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:43
-	8	((control\$5 with protocol with stack) same (pda or cellphone or mobile)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 17:44
-	0	((cellphone or (cell adj phone) or pda) same protocol same load\$3 same (compatib\$5 or together\$5)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:25
-	0	((cellphone or (cell adj phone) or pda) same protocol same load\$3 same (compatib\$5 or together\$5)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:26
-	0	((cellphone or (cell adj phone) or pda) same protocol same load\$3 same (compatib\$5 or together\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:26
-	0	((cellphone or (cell adj phone) or pda) same stack same load\$3 same (compatib\$5 or together\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:27
-	15	((mobile or portable) same stack same load\$3 same (compatib\$5 or together\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:38
-	44	((tcp/ip or tcp or ip) or osi or sna) same load\$5 same compatib\$6) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:39
-	2	((tcp/ip or tcp or ip) or osi or sna) same load\$5 same compatib\$6 same (service or process or application or task) same (abandon\$5 or elimin\$6 or stop\$5 or terminat\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:59
-	13	(protocol same load\$5 same compatib\$6 same (service or process or application or task) same (abandon\$5 or elimin\$6 or stop\$5 or terminat\$5)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:02
-	17	(incompatib\$5 with protocol with stack) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:34



-	72	(database with protocol with stack) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 11:32
-	1	((database with protocol with stack) same (load\$5 or unload\$4)) and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/16 16:41
-	9	((database with protocol with stack)).ab. and @ad<20010314	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/16 16:41